

BBC Biochemical

MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Information

Common Name: 10% Neutral Buffered Formalin	Code: 0100, 0143, 0150, 0151, MA0102010, MA0102011, MA0102012, MA0102014,
Supplier: BBC Biochemical	MSDS#: 0100
Synonym:	Validation Date: 3-31-09
Trade Name: Not available	Print Date: 3-31-09
Material Uses: Not available	Responsible Name: Dr. B
Manufacturer: BBC Biochemical PO Box 1320 409 Eleanor Lane Mount Vernon, WA 98273 1-800-635-4477	In Case of Emergency: 1-800-424-9300 Chemtrec USA 1-202-483-7616 Chemtrec Intrl 1-800-635-4477

Section 2. Composition and Information on Ingredients

Name	CAS#	% by Weight	Exposure Limits
1) Water	7732-18-5	Percentage composition is	None established
2) Formaldehyde 37%	50-00-0	Withheld as a trade secret.	OSHA PEL 0.75ppm TWA
3) Selected Buffers	Not available		None established

Section 3. Hazards Identification

Physical State and Appearance	Clear liquid.
Emergency Overview	Not available.
Routes of Entry	Eye contact, inhalation, ingestion, skin contact.
Potential Acute Health Effects	
Eyes	Irritation, may cause permanent damage.
Skin	Irritation.
Inhalation	Irritation to nose, throat and respiratory system.
Ingestion	May cause allergic reaction. Irritation to throat and respiratory system.
Potential Chronic Health Effects	
Medical Conditions Aggravated by Overexposure/Overexposure/Signs/Symptoms	Formaldehyde is a strong sensitizer and may cause an allergic reaction.

Section 4. First Aid Measures

Eye Contact	Immediately flush thoroughly with water for at least 15 minutes.
Skin Contact	Wash thoroughly with water. Remove contaminated clothing at once (launder before reuse); discard contaminated shoes.
Inhalation	Remove to fresh air; give artificial respiration if breathing has stopped.
Ingestion	If conscious, dilute, inactivate, or absorb the ingested formaldehyde by giving milk, activated charcoal, or water. Get immediate medical attention.
Notes to Physician	Not available.

Section 5. Fire Fighting Measures

Flammability of the Product	Not flammable
Auto-ignition Temperature	>806°F (>430°C) based on formaldehyde
Flash Points	>200°F (>93°C)
Flammable Limits	Not flammable
Products of Combustion	Carbon Monoxide, irritating and toxic gases, carbon dioxide, formaldehyde.
Fire Hazards in Presence Of Various Substances	Open flame, sparks and static discharge.

Explosion Hazards in Presence of Various Substances	Thermal decomposition produces toxic fumes.
Fire Fighting Media and Instructions	CO ₂ , foam, water. Wear self-contained breathing apparatus and protective clothing.
Protective Clothing (Fire)	
Special Remarks on Fire Hazards	
Special Remarks on Explosion Hazards	

Section 6. Accidental Release Measures

Small Spill and Leak	Evacuate the area of all unnecessary personnel. Wear suitable protective equipment listed under section VIII. Eliminate any ignition sources until the area is determined to be free from explosion or fire hazards. Contain the release and eliminate its source, if this can be done without risk. Take up and containerize for proper disposal as described under Waste Disposal Method. Comply with Federal, State and local regulations on reporting releases. Always contact a permitted waste disposer (TSD) to assure compliance with all current local, state and federal regulations.
Large Spill and Leak	Same as above.

Section 7, Handling and Storage

Handling	Do not breathe vapor or mist. Do not get in eyes, on skin, or on clothing.
Storage	Keep container tightly closed. Store away from heat, sparks, open flame.

Section 8. Exposure Controls / Personal Protection

Engineering Controls	
Personal Protection	
Eyes	Safety glasses with side shields must be worn at all times.
Body	Impervious protective clothing must be worn to prevent skin contact.
Respiratory	If workplace exposure limit(s) of product or any component is exceeded (see TLV/PEL), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (see your safety supplier). Engineering and/or administrative controls should be implemented to reduce exposure. Material must be handled or transferred in an approved fume hood or with adequate ventilation.
Hands	Neoprene, nitrile or equivalent gloves.
Feet	Not available.
Personal Protection in Case of a Large Spill	Safety glasses with side shields, impervious protective clothing, respirator if necessary and neoprene, nitrile or equivalent gloves.
Product Name	Exposure Limits
1)Water	None established
2)Formaldehyde 37%	OSHA PEL 0.75ppm TWA
3)	
Consult Local authorities before acceptable exposure limits.	

Section 9. Physical and Chemical Properties

Physical State and Appearance	Clear liquid.	Odor:	Not available.
Molecular Weight	Not applicable.	Taste:	Not available.
Molecular Formula	Not applicable.	Color:	Clear.
pH (1%/Water)	Not applicable.		
Boiling/Condensation Point	Not applicable.		
Melting/Freezing Point	Not applicable.		
Critical Temperature	Not applicable.		
Specific Gravity	Not applicable.		
Vapor Pressure	Not applicable.		
Vapor Density	Not applicable.		
Volatility	Not applicable.		
Odor Threshold	Not applicable.		
Evaporation Rate	Not applicable.		
VOC	Not available.		
Viscosity	Not available.		
Ioncity (in water)	Not available.		
Dispersion Properties	Not available.		

Solubility	Miscible in water.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity

Stability and Reactivity	Stable.
Conditions of Instability	Avoid contact with ignition sources.
Incompatibility with Various Substances	Acids, oxidizers, strong alkalies. Contact with HCl may cause formation of the potent carcinogen, bischloromethyl ether.
Hazardous Decomposition Products	Metal•O, HCl, CL, CO _x
Hazardous Polymerization	Not available.

Section 11. Toxicological Information

Toxicity to Animals	37% Formaldehyde CAS 50-00-0 orl-rat LD50: 800mg/kg LC50: Not available.
	Chemical Name CAS # DeMinimis/SARA 313%
	Formaldehyde 37% 50-00-0 0.1
Chronic Effects on Humans	Formaldehyde has the potential to cause cancer in humans. Repeated and prolonged exposure increases the risk. In humans, formaldehyde exposure has been associated with cancers of the lungs, nasopharynx and oropharynx, and nasal passages.
Other Toxic Effects on Humans	
Special Remarks on Toxicity to Animals	Tests on laboratory animals indicate formaldehyde may cause tumors and may produce adverse mutagenic and reproductive effects. Cited in Registry of Toxic Effects of Substances (RTECS).
Special Remarks on Chronic Effects on Humans	Not available.
Special Remarks on Other Toxic Effects on Humans	Not available.

Section 12. Ecological Information

Ecotoxicity	Not available.
BODS and COD	Not available.
Biodegradable/OEDC	Not available.
Mobility	Not available.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on The Products of Biodegradation	Not available.

Section 13. Disposal Considerations


Waste Information	Not available.
Waste Stream	Not available.
Consult your local or regional authorities.	

Section 14. Transport Information

DOT Classification	Not regulated
Marine Pollutant	Not available.
Hazardous Substances Reportable Quantity	Not available.
Special Provisions for Transport	Not applicable.
TDG Classification	Not controlled under TDG (Canada).
ADR/RID Classification	Not controlled under ADR (Europe).
IMO/IMDG Classification	Not controlled under IMDG.
ICAO/IATA Classification	See IATA Regulations, UN3334, Aviation regulated liquid, n.o.s., (Formaldehyde), 9

Section 15. Other Information

Label requirements

Hazardous Material Information System (U.S.A.)	Health	2	National Fire Protection Association (U.S.A.)	
	Fire Hazard	1		
	Reactivity	0		
	Personal Protection			

References

Other Special Considerations

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.